

INDEX TO VOLUME XXXIX

AUTHORS

| | Page |
|---|------|
| Abbot, R. C. (see Rudolph M. Sandstedt) | 123 |
| Anderson, M. L. (see Betty Sullivan) | 155 |
| Anderson, R. A. A note on the wet-milling of high-amylose corn containing 75-percent-amylose starch | 406 |
| , D. E. Uhl, W. L. Deatherage, and E. L. Griffin, Jr. Composition of the component parts of two hybrid high-amylose corns | 282 |
| Anderson, R. H., and D. F. Moran. Quick method for riboflavin in a high-potency cereal product | 463 |
| Baker, Doris. Fatty acid composition of oil from damaged corn and wheat | 393 |
| Bandurski, R. S. (see R. H. Hamilton) | 107 |
| Bautista, Gloria M., and P. Linko. Glutamic acid decarboxylase activity as a measure of damage in artificially dried and stored corn | 455 |
| Blessin, C. W. Carotenoids of corn and sorghum. I. Analytical procedure | 236 |
| , R. J. Dimler, and O. J. Webster. Carotenoids of corn and sorghum. II. Carotenoid loss in yellow-endosperm sorghum grain during weathering | 389 |
| Blokmsa, A. H. Communication to the Editor: The rate of diffusion between gas cells in batters or doughs | 485 |
| Borchers, R. A note on the digestibility of the starch of high-amylose corn by rats | 145 |
| Bradbury, Dorothy, M. J. Wolf, and R. J. Dimler. The hilar layer of white corn | 72 |
| Brekke, O. L., L. A. Weinecke, and E. L. Griffin, Jr. Corn dry-milling: Influence of feed rate and tail-gate loading upon Beall degemimator performance | 381 |
| Bressani, R., L. G. Elias, N. S. Scrimshaw, and M. A. Guzman. Nutritive value of Central American corns. VI. Varietal and environmental influence on the nitrogen, essential amino acid, and fat content of ten varieties | 495 |
| , and Berta J. Rios. The chemical and essential amino acid composition of twenty-five selections of grain sorghum | 59 |
| Bushuk, W., and I. Hlynka. The effect of iodate and N-ethyl-maleimide on extensigraph properties of dough | 189 |
| (see P. Meredith) | 411 |
| Christensen, C. M. Invasion of stored wheat by <i>Aspergillus ochraceus</i> | 100 |
| , and S. A. Qasem. Detection of <i>Aspergillus restrictus</i> in stored grain | 68 |
| Cole, E. W., W. S. Hale, and J. W. Pence. The effect of processing variations on the alcohol, carbonyl, and organic acid contents of pre-ferments for break baking | 114 |
| Cotton, R. H. (see J. G. Ponte, Jr.) | 437 |
| Curnutt, B. (see R. J. Robinson) | 183 |
| Deatherage, W. L. (see R. A. Anderson) | 282 |
| Dimler, R. J. (see C. W. Blessin) | 389 |
| (see Dorothy Bradbury) | 72 |
| (see R. W. Jones) | 336 |
| Donelson, J. R., and W. T. Yamazaki. Note on a rapid method for the estimation of damaged starch in soft wheat flours | 460 |
| Elias, L. G. (see R. Bressani) | 59 |
| Fujita, E. (see K. Yasumatsu) | 364 |
| Geddes, W. F. (see B. T. Lynch) | 256 |
| Glass, R. L. (see B. T. Lynch) | 256 |
| Glucklich, J., and Leora Shelef. An investigation into the rheological properties of flour dough. Studies in shear and compression | 242 |
| Goldstein, A. M. (see Betty Sullivan) | 155 |
| Golumbic, C. (see J. R. Hart) | 94 |
| Griffin, E. L., Jr. (see R. A. Anderson) | 282 |
| (see O. L. Brekke) | 381 |
| Guzman, M. A. (see R. Bressani) | 59 |
| Hale, W. S. (see E. W. Cole) | 114 |
| Hamilton, R. H., R. S. Bandurski, | |

and W. H. Reusch. Isolation and characterization of a cyclic hydroxamate from *Zea mays* 107

Hart, J. R., K. H. Norris, and C. Columbic. Determination of the moisture content of seeds by near-infrared spectrophotometry of their methanol extracts 94

Hinton, J. J. C. Note on the distribution of ash in an Australian wheat 341

Hirata, Y. (see S. A. Watson) 35

Hlynka, I. Influence of temperature, speed of mixing, and salt on some rheological properties of dough in the farinograph 286
— (see W. Bushuk) 189
— (see K. M. Narayanan) 351
— (see C. C. Tsen) 195
— (see C. C. Tsen) 209

Holme, J. Characterization studies on the soluble proteins and pentosans of cake flour 132

Johnson, J. A. (see Yu-Yen Linko) 263
— (see Yu-Yen Linko) 468
— (see Y. Pomeranz) 398
— (see R. J. Robinson) 183

Jones, J. B. (see Priscilla A. Veitch) 220

Jones, R. W., and R. J. Dimler. Electrophoretic composition of glutens from air-classified flours 336

Katz, R. (see W. R. Peters) 487

Kissell, L. T., and B. D. Marshall. Multi-factor responses of cake quality to basic ingredient ratios 16

Leach, H. W., and T. J. Schoch. Structure of the starch granule. III. Solubilities of granular starches in dimethyl sulfoxide 318

Lee, C. C. Electron paramagnetic resonance and baking studies on gamma-irradiated flour 147
—, and L. M. Reynolds. Some studies with maleimide-type sulphydryl-blocking agents 427
—, and E. R. Samuels. Communication to the Editor: Studies with radioactive tracers. VI. The oxidation of sulphydryl groups of gluten by bromate and iodate 482

Levi, I. (see C. C. Tsen) 195

Linko, P. (see Gloria M. Bautista) 455

Linko, Yu-Yen, J. A. Johnson, and B. S. Miller. The origin and fate of certain carbonyl compounds in white bread 468
—, B. S. Miller, and J. A. Johnson. Quantitative determination of certain carbonyl compounds in pre-ferments 263

Liscombe, E. A. R. Milling losses caused by insect infestation of wheat 372

Lord, T. H. (see R. J. Robinson) 183

Luchsinger, W. W. The mechanism of action of malt beta-glucanases. II. Separation and characterization of malt endo-beta-glucanases 225

Lynch, B. T., R. L. Glass, and W. F. Geddes. Grain storage studies. XXXII. Quantitative changes occurring in the sugars of wheat deteriorating in the presence and absence of molds 256

McDonald, C. E. An improved method for the preparation of wheat gliadin 311

MacMasters, Majel M. (see W. E. Schulze) 204

Marshall, B. D. (see L. T. Kissell) 16

Maurice, Judith J. (see W. C. Schaefer) 304

Mecham, D. K., H. A. Sokol, and J. W. Pence. Extractable protein and hydration characteristics of flours and doughs in dilute acid 81

Meredith, P. Communication to the Editor: Application of the Raikai milling process to sprouted wheat 168
—, and W. Bushuk. The effects of iodate, N-ethylmaleimide, and oxygen on the mixing tolerance of doughs 411

Miller, B. S. (see Yu-Yen Linko) 263
— (see Yu-Yen Linko) 468
— (see Y. Pomeranz) 398
— (see R. J. Robinson) 183

Miller, D. (see Y. Pomeranz) 398

Moran, D. F. (see R. H. Anderson) 463

Narayanan, K. M., and I. Hlynka. Rheological studies of the role of lipids in dough 351

Norris, K. H. (see J. R. Hart) 94

Olcott, H. S. Communication to the Editor: The use of 2-chloroethanol as a dispersant for gluten 262

Pence, J. W. (see E. W. Cole) 114
— (see D. K. Mecham) 81

Peters, W. R., and R. Katz. Using a density gradient column to determine wheat density 487

Pomeranz, Y., B. S. Miller, D. Miller, and J. A. Johnson. Use of lactase in breadmaking 398
—, and J. A. Shellenberger. Starch-liquefying activity of alpha-amylase. I. Use of pre-gelatinized wheat starch as substrate 327

| | | | |
|--|-----|---|-----|
| Ponte, J. G., Jr., S. T. Titcomb, and R. H. Cotton. Flour as a factor in bread firming | 437 | amino acid composition of Australian wheats and flours | 445 |
| Qasem, S. A. (see C. M. Christensen) | 68 | Smith, H. E., C. R. Russell, and C. E. Rist. Preparation and properties of sulfated wheat flour | 273 |
| Radomski, M. W., and M. Doreen Smith. Isolation of maltulose from alpha-amylase hydrolysates of waxy corn starch | 30 | Smith, M. Doreen (see M. W. Radomski) | 30 |
| Reusch, W. H. (see R. H. Hamilton) | 107 | Sokol, H. A. (see D. K. Mecham) | 81 |
| Reynolds, L. M. (see C. C. Lee) | 427 | Sosulski, F. W. The centrifuge method for determining flour absorption in hard red spring wheats | 344 |
| Rios, Berta J. (see R. Bressani) | 50 | Strahan, Donna (see Rudolph M. Sandstedt) | 123 |
| Rist, C. E. (see W. C. Schaefer) | 1 | Sullivan, Betty, M. L. Anderson, and A. M. Goldstein. The determination of starch damage of flour | 155 |
| — (see W. C. Schaefer) | 304 | Titcomb, S. T. (see J. G. Ponte, Jr.) | 437 |
| — (see H. E. Smith) | 273 | Tsen, C. C., and I. Hlynka. The role of lipids in oxidation of doughs | 209 |
| Robinson, R. J., B. S. Miller, J. A. Johnson, B. Curnutt, and T. H. Lord. Studies of two polypeptide antibiotics elaborated by <i>Saccharomyces cerevisiae</i> | 183 | —, I. Levi, and I. Hlynka. A rapid method for the extraction of lipids from wheat products | 195 |
| Russell, C. R. (see W. C. Schaefer) | 1 | Uchino, N., and R. L. Whistler. Oxidation of wheat starch with chlorine | 477 |
| — (see W. C. Schaefer) | 304 | Ueda, S. (see Rudolph M. Sandstedt) | 123 |
| — (see H. E. Smith) | 273 | Uemura, M. (see T. Yasunaga) | 171 |
| Samuels, E. R. (see C. C. Lee) | 482 | Uhl, D. E. (see R. A. Anderson) | 282 |
| Sandstedt, Rudolph M., Donna Strahan, S. Ueda, and R. C. Abbott. The digestibility of high-amylose corn starches compared to that of other starches. The apparent effect of the <i>ac</i> gene on susceptibility to amylase action | 123 | Veitch, Priscilla A., and J. B. Jones. The detection of polyoxyethylene glycol in bakery products | 220 |
| Schaefer, W. C., Judith J. Maurice, C. R. Russell, and C. E. Rist. Intrinsic viscosity of dialdehyde starch in alkaline urea after reduction with borohydride | 304 | Watson, S. A., and Y. Hirata. Some wet-milling properties of artificially dried corn | 35 |
| —, C. R. Russell, and C. E. Rist. Polymeric products from the reaction of dialdehyde starches with chlorine in methanol. Preparation and properties | 1 | Webster, O. J. (see C. W. Blessin) | 389 |
| Schoch, T. J. (see H. W. Leach) | 318 | Weinecke, L. A. (see O. L. Brekke) | 381 |
| Schulze, W. E., and Majel M. MacMasters. Breakage of endosperm cell walls in flour milling | 204 | Whistler, R. L. (see N. Uchino) | 477 |
| Scrimshaw, N. S. (see R. Bressani) | 59 | Wolf, M. J. (see Dorothy Bradley) | 72 |
| Shelef, Leora (see J. Glucklich) | 242 | Yamazaki, W. T. (see J. R. Donelson) | 480 |
| Shellenberger, J. A. (see Y. Pomeranz) | 327 | Yasumatsu, K., and Fujita, E. Studies on the cooking quality of rice. On the plastogram of rice | 384 |
| Shuey, W. C. The effect of starting temperature on amylograms | 44 | Yasunaga, T., and Uemura, M. Evaluation of color characteristics of flours obtained from various types and varieties of wheat | 171 |
| Simmonds, D. H. Variations in the | | | |

SUBJECTS

| Page | Page | | |
|--|------|--|-----|
| Absorption; determination of, in HRS wheats, centrifuge method (Sosulski) | 344 | in stored grain (Christensen and Qasem) | 68 |
| Acids, fatty, see Fatty acids | | Bakery products; softening agents in (Veitch and Jones) | 220 |
| Air-classified flour, see Flour, particle size of | | Baking studies on gamma-irradiated flour (Lee) | 147 |
| Aleurone layer; content of, in Australian wheat (Hinton) | 341 | Baking technique; effect of, on carbonyl compounds in bread (Linko, Johnson, and Miller) | 468 |
| Alpha-amylase; determination of, by amylograph (Pomeranz and Shellenberger) | 327 | Baking tests, cake; for responses of quality to ingredient ratios (Kissell and Marshall) | 16 |
| Amino acids | | Batters, gas cells in; diffusion rate of (bubble mechanics) (Bloksma) | 485 |
| Of corn (Central American) (Bressani, Elias, Scrimshaw, and Guzman) | 59 | Benzoxazine derivative, occurrence in Zea mays (Hamilton, Bandurski, and Reusch) | 107 |
| In flour and wheat (Australian); variations in composition (Simmonds) | 445 | Benzoxazolinone derivatives, preparation of (Hamilton, Bandurski, and Reusch) | 107 |
| Of sorghum (Bressani and Rios) | 50 | Beta-glucanases, malt; separation and characterization (Luchsinger) | 225 |
| Amylase; pancreatic digestion on various raw starches (Sandstedt, Strahan, Ueda, and Abbott) | 123 | Bleaching of wheat starch with chlorine (Uchino and Whistler) | 477 |
| Amylase, alpha-; of wheat (sprouted), milled by Raikai process (Meredith) | 168 | Bread | |
| Amylograms; effect of starting temperature on (Shuey) | 44 | Carbonyl compounds in; changes during aging (Linko, Johnson, and Miller) | 468 |
| Amylograph; for determining alpha-amylase (Pomeranz and Shellenberger) | 327 | Firming of, vs. flour quality (Ponte, Titcomb, and Cotton) | 437 |
| Antibiotics | | Flavor of, see Flavor of bread | |
| Elaborated from yeast; structure of (Robinson, Miller, Johnson, Curnutte, and Lord) | 183 | Loaf volume of; effect of maleimide-type -SH-blocking agents on (Lee and Reynolds) | 427 |
| Isolated from pre-ferments (Robinson, Miller, Johnson, Curnutte, and Lord) | 183 | Antibiotics from; structure of (Robinson, Miller, Johnson, Curnutte, and Lord) | 183 |
| Antioxidants; improver effect of, in dough (Narayanan and Hlynka) | 351 | Breadmaking, pre-ferments; see under Fermentation | |
| Apparatus for shear and compression studies (Glucklich and Shelef) | 242 | Bubble mechanics, in batters and doughs (Bloksma) | 485 |
| Ash | | Cake; quality of; multi-factor responses to basic ingredient ratios (Kissell and Marshall) | 16 |
| Content of, in wheat; effect of insect infestation on (Liscombe) | 372 | Cake flour; soluble constituents of (Holme) | 132 |
| Distribution in kernel of Australian wheat (Hinton) | 341 | Carbonyl compounds | |
| In infested wheat, vs. density (Peters and Katz) | 487 | In bread; changes in during aging (Linko, Johnson, and Miller) | 468 |
| Aspergillus ochraceus; invasion of stored wheat by (Christensen) | 100 | | |
| Aspergillus restrictus; detection of, | | | |

| | | | |
|---|-----|---|-----|
| Quantitative determination of, in pre-ferments (Linko, Miller, and Johnson) | 263 | Deatherage, and Griffin) | 282 |
| Carotenes and carotenoids | | digestibility of starch of (Borchers) | 145 |
| Determination in hybrid yellow corn and grain sorghum (by chromatography) (Blessin) | 236 | wet-milling of (Anderson) | 406 |
| Loss in sorghum grain during weathering (Blessin, Dimler, and Webster) | 389 | Hybrid yellow, carotenoids in (Blessin) | 236 |
| Cell walls of endosperm; breakage in flour milling (Schulze and MacMasters) | 204 | Pigmentation in hilar layer of (Bradbury, Wolf, and Dimler) | 72 |
| Cereals (ready-to-eat); riboflavin in, quick method for determining (Anderson and Moran) | 463 | Structure of hilar layer ("black speck") (Bradbury, Wolf, and Dimler) | 72 |
| Chemical composition of sorghum (Bressani and Rios) | 50 | Corn degerminator; performance study (Brekke, Weincke, and Griffin) | 381 |
| Chlorine, for oxidation of wheat starch (Uchino and Whistler) | 477 | Corn grits; "black speck" problem in (Bradbury, Wolf, and Dimler) | 72 |
| Chlorine-methanol treatment of dialdehyde starches (Schaefer, Russell, and Rist) | 1 | Corn starch | |
| 2-Chloroethanol, as dispersant for gluten (Olcott) | 262 | Comparative digestibility of high-amylose starches (Sandstedt, Strahan, Ueda, and Abbot) | 123 |
| Chromatography of sugars, in wheat stored in presence and absence of molds (Lynch, Glass, and Geddes) | 256 | From high-amylose corn, note on wet-milling (Anderson) | 406 |
| Color of flours; characteristics (Yasunaga and Uemura) | 171 | (Waxy) Isolation of maltulose from alpha-amylase hydrolysates of (Radomski and Smith) | 30 |
| Composition of high-amylose corn (Anderson, Uhl, Deatherage, and Griffin) | 282 | Corn wet-milling of high-amylose corn (Anderson) | 406 |
| Compressibility of bread crumb vs. flour quality (Ponte, Tittcomb, and Cotton) | 437 | Cyclic hydroxamate, occurrence in Zea mays (Hamilton, Bandurski, and Reusch) | 107 |
| Compression in dough (Glucklich and Shelef) | 242 | Damaged corn, see Corn, Damaged | |
| Cooking quality of rice, with the plastograph (Yasumatsu and Fujita) | 364 | Damaged starch, see Starch, Damaged | |
| Corn (see also succeeding Corn entries) | | Density gradient column; for measuring wheat density and detecting insect infestation (Peters and Katz) | 487 |
| (Central American) Environmental and varietal influence on nutritive value (Bressani, Elias, Scrimshaw, and Guzman) | 59 | Dialdehyde starches, reacted with chlorine in methanol (Schaefer, Russell, and Rist) | 1 |
| Damage in; glutamic acid decarboxylase activity as index (Bautista and Linko) | 455 | 2,4-Dihydroxy-7-methoxybenzoazin-3(4H)-one, properties of, and occurrence in Zea mays (Hamilton, Brandurski, and Reusch) | 107 |
| Damaged; fatty acid composition of (Baker) | 393 | Dimethyl sulfoxide, solvent for granular starch (Leach and Schoch) | 318 |
| Dried artificially; wet-milling of (Watson and Hirata) | 35 | Dough(s) | |
| Effect of genetic composition on raw-starch digestibility (Sandstedt, Strahan, Ueda, and Abbot) | 123 | Effect of iodate and NEMI on extensigraph properties (Bushuk and Hlynka) | 189 |
| High-amylose composition of component parts (Anderson, Uhl, | | Effect of iodate, NEMI, and oxygen on mixing tolerance of (Meredith and Bushuk) | 411 |
| | | Gas cells in; diffusion rate of (bubble mechanics) (Bloksma) | 485 |
| | | Influence of temperature, speed | |

| | | | |
|--|-----|--|-----|
| of mixing, and salt on rheological properties in farinograph (Hlynka) | 286 | Free, improver and protective effect in dough (Narayanan and Hlynka) | 351 |
| Mixing of; changes in protein during (Mecham, Sokol, and Pence) | 81 | Fermentation: Pre-ferments | |
| Oxidation of; role of lipids in (Tsien and Hlynka) | 209 | Effect of processing on alcohol, carbonyl, and organic acid content of (Cole, Hale, and Pence) | 114 |
| Rheological properties of (Glucklich and Shelef) | 242 | Quantitative determination of certain carbonyl compounds in (Linko, Miller, and Johnson) | 263 |
| Role of lipids in (Narayanan and Hlynka) | 351 | Structure of antibiotics from yeast (Robinson, Miller, Johnson, Curnutt, and Lord) | 183 |
| Drying (artificial) of corn; glutamic acid decarboxylase activity as index of damage (Bautista and Linko) | 455 | Flavor of bread; quantitative determination of certain carbonyl compounds in pre-ferments (Linko, Miller, and Johnson) | 263 |
| Electron paramagnetic resonance studies on gamma-irradiated flour (Lee) | 147 | Flour(s) (see also succeeding Flour entries) | |
| Electrophoresis of flour fractions (Holme) | 132 | Absorption, determined by centrifuge method (Sosulski) | 344 |
| Endosperm cell walls; breakage of, in flour milling (Schulze and MacMasters) | 204 | (Australian) Amino acid composition; variations in (Simmonds) | 445 |
| Enzymes, see specific enzymes | | Cake, see Cake entries | |
| Enzyme activity; effect of starting temperature on amylograms (Shuey) | 44 | Color characteristics of (Yasunaga and Uemura) | 171 |
| Erratum | 350 | Damaged starch in; rapid method for estimation (Donelson and Yamazaki) | 460 |
| Experimental design for cake quality; responses to ingredient ratios (Kissell and Marshall) | 16 | Effect of defatting on rheological properties of dough (Narayanan and Hlynka) | 351 |
| Experimental milling, see Milling, experimental | | Effect of ratio variation on cake quality (Kissell and Marshall) | 16 |
| Extensigrams; effect on, of iodate and NEMI (Bushuk and Hlynka) | 189 | Effect of starting temperature on amylograms (Shuey) | 44 |
| Extensimeter for shear and compression studies (Glucklich and Shelef) | 242 | Gamma-irradiated; electron paramagnetic resonance studies (Lee) | 147 |
| Extraction | | Particles of, from breakage of endosperm cell walls in milling (Schulze and MacMasters) | 204 |
| Of flour proteins (Mecham, Sokol, and Pence) | 81 | Particle size of; electrophoretic composition of glutens (Jones and Dimler) | 336 |
| Of lipids from wheat products (Tsien, Levi, and Hlynka) | 195 | Quality of, factor in bread firming (Ponte, Titcomb, and Cotton) | 437 |
| Extraction studies; soluble proteins of cake flour (Holme) | 132 | Starch damage in, determination (Sullivan, Anderson, and Goldstein) | 155 |
| Farinograph studies | | Sulfated, preparation and properties (Smith, Russell, and Rist) | 273 |
| Cooking quality of rice (Yasumatsu and Fujita) | 364 | Flour fractions | |
| Influence of temperature, speed of mixing, and salt on rheological properties of dough (Hlynka) | 286 | Cake; soluble proteins and pentosans of (Holme) | 132 |
| Fat, in corn (Central American); varietal and environmental study (Bressani, Elias, Scrimshaw, and Guzman) | 59 | Glutens; electrophoretic composition (Jones and Dimler) | 336 |
| Fatty acids | | | |
| In damaged corn and wheat (Baker) | 393 | | |

| | |
|--|-----|
| Flour improvers; bromate and iodate; oxidation of -SH groups of gluten by (Lee and Samuels) | 482 |
| Flour yield; effect of insect infestation on (Liscombe) | 372 |
| Gamma-irradiated flour; electron paramagnetic resonance studies on (Lee) | 147 |
| Gas cells in dough, diffusion rate of (Bloksma) | 485 |
| Cliadin; preparation of, improved method (McDonald) | 311 |
| Glutamic acid decarboxylase activity, index of damage in artificially dried corn (Bautista and Linko) | 455 |
| Gluten | |
| Use of 2-chloroethanol as dispersant for (Olcott) | 262 |
| Electrophoretic composition of, from air-classified flours (Jones and Dimler) | 336 |
| Cliadin preparation from (McDonald) | 311 |
| -SH groups of; oxidation by bromate and iodate (Lee and Samuels) | 482 |
| Grain | |
| Damaged (corn and wheat); fatty acid composition of (Baker) | 393 |
| Moisture content of, by near-infrared spectrophotometry of its methanol extract (Hart, Norris, and Golumbic) | 94 |
| Grain sorghum | |
| Amino acids of, and chemical composition (Bressani and Rios) | 50 |
| Carotenoids in; chromatographic procedure (Blessin) | 236 |
| Carotenoid loss during weathering (Blessin, Dimler, and Webster) | 389 |
| Grain storage fungi, detection of (Christensen and Qasem) | 68 |
| High-amylose corn, see Corn, High-amylose | |
| Hydration of flour proteins (Mecham, Sokol, and Pence) | 81 |
| Ingredients, cake, ratio variations vs. responses of quality (Kissell and Marshall) | 16 |
| Insect infestation, of wheat | |
| Determined with density gradient column (Peters and Katz) | 487 |
| Milling losses caused by (Liscombe) | 372 |
| Iodate | |
| Effect of on mixing tolerance of flours (Meredith and Bushuk) | 411 |
| on extensigraph properties (Bushuk and Hlynka) | 189 |
| Lactase; use in breadmaking (Pomeranz, Miller, Miller, and Johnson) | 398 |
| Lactose; hydrolysis by lactase in panary fermentation (Pomeranz, Miller, Miller, and Johnson) | 398 |
| Leavening; effect of ratio variation on cake quality (Kissell and Marshall) | 16 |
| Lipids | |
| Effect of, on rheological properties of dough (Narayanan and Hlynka) | 351 |
| Extraction of, from wheat products; rapid method (Tsen, Levi, and Hlynka) | 195 |
| Role of, in oxidation of doughs (Tsen and Hlynka) | 209 |
| Maleimide (MI); effect on loaf volume, mixograms, and yeast gassing power (Lee and Reynolds) | 427 |
| Malt beta-glucanases; separation and characterization (Luchsinger) | 225 |
| Maltulose, isolated from alpha-amylase hydrolysates of waxy corn starch (Radomski and Smith) | 30 |
| Methods | |
| For absorption in HRS wheats (centrifuge) (Sosulski) | 344 |
| For estimation of damaged starch in soft-wheat flours (Donelson and Yamazaki) | 460 |
| For extracting lipids from wheat products (Tsen, Levi, and Hlynka) | 195 |
| Gliadin (wheat), preparation of, from gluten (McDonald) | 311 |
| For riboflavin in high-potency cereal product (Anderson and Moran) | 463 |
| Viscosity (intrinsic) of dialdehyde starch (Schaefer, Maurice, Russell, and Rist) | 304 |
| 6-Methoxybenzoxazolimone, formation of (Hamilton, Bandurski, and Reusch) | 107 |
| MI, see Maleimide | |
| Milling | |
| Breakage of endosperm cell walls during (Schulze and MacMasters) | 204 |

| | |
|---|-----|
| Determination of starch damage of flour (Sullivan, Anderson, and Goldstein) | 155 |
| Losses from insect infestation (Liscombe) | 372 |
| Milling, experimental | |
| Corn; degeminator performance study (Brekke, Weincke, and Griffin) | 381 |
| Wheat, sprouted; Raikai process applied (Meredith) | 168 |
| Mixing of dough; changes in protein during (Mecham, Sokol, and Pence) | 81 |
| Mixing tolerance; effect on, of iodate, NEMI, and oxygen (Meredith and Bushuk) | 411 |
| Mixograms; effect on, of maleimide-type -SH-blocking agents (Lee and Reynolds) | 427 |
| Moisture content of seeds, by near-infrared spectrophotometry (Hart, Norris, and Columbic) | 94 |
| Molds (see also <i>Storage fungi</i>), in stored wheat; quantitative sugar changes in presence and absence of (Lynch, Glass, and Geddes) | 256 |
| N-Acetyl-6-methoxybenzoxazolimone , preparation of (Hamilton Bandurski, and Reusch) | 107 |
| Near-infrared spectrophotometry , applied to moisture determination in seeds (Hart, Norris, and Columbic) | 94 |
| NEMI , see <i>N-Ethylmaleimide</i> | |
| N-Ethylmaleimide (NEMI) | |
| Effect on extensigraph properties (Bushuk and Hlynka) | 189 |
| Effects on loaf volume, mixograms, and yeast gassing power (Lee and Reynolds) | 427 |
| Effect on mixing tolerance of doughs (Meredith and Bushuk) | 411 |
| Nitrogen , of Central American corn; varietal and environmental study (Bressani, Elias, Scrimshaw, and Guzman) | 59 |
| N-Methyl-6-methoxybenzoxazolimone , preparation of (Hamilton, Bandurski, and Reusch) | 107 |
| N-Phenylmaleimide (NPMI) ; effects of, on loaf volume, mixograms, and yeast gassing power (Lee and Reynolds) | 427 |
| NPMI , see <i>N-Phenylmaleimide</i> | |
| Nutritive value | |
| Of Central American corn (Bressani, Elias, Scrimshaw, and Guzman) | 59 |
| Oxidation | |
| Of -SH groups by bromate and iodate (Lee and Samuels) | 482 |
| Of wheat starch with chlorine (Uchino and Whistler) | 477 |
| Oxidizing agents ; effect of, on extensigraph properties (Bushuk and Hlynka) | 189 |
| Oxygen ; effect of, on mixing tolerance of doughs (Meredith and Bushuk) | 411 |
| Particle size , see under <i>Flour</i> | |
| Pentosans of cake flour ; studies on (Holme) | 132 |
| Pigmentation | |
| In egg yolk and poultry (Blesin) | 236 |
| In hilary layer of corn (Bradbury, Wolf, and Dümmer) | 72 |
| Polyoxyethylene glycol ; chromatographic detection of (Veitch and Jones) | 220 |
| Pre-ferment process , see <i>Fermentation</i> | |
| Protein(s) | |
| Of flour; effect on, of dough mixing (Mecham, Sokol, and Pence) | 81 |
| Gliadin preparation (McDonald) | 311 |
| In infested wheat, vs. density (Peters and Katz) | 487 |
| Soluble, of cake flour; studies on (Holme) | 123 |
| Radioactive tracers , see <i>Radioactivity</i> | |
| Radioactivity | |
| Gamma-irradiated flour for electron paramagnetic resonance studies (Lee) | 147 |
| Sulfur-35 as tracer in wheat for study of -SH groups of gluten (Lee and Samuels) | 482 |
| Raikai milling process, applied to sprouted wheat (Meredith) | 168 |
| Response surface analysis for cake quality (Kissell and Marshall) | 16 |
| Rheology of dough (see also <i>Farinograph studies</i>) | |
| Role of lipids (Narayanan and Hlynka) | 351 |
| Shear and compression (Glucklich and Shelef) | 242 |
| Riboflavin ; in ready-to-eat cereals; quick method for determining (Anderson and Moran) | 463 |
| Rice ; cooking quality of, by plasto-graph (Yasumatsu and Fujita) | 364 |
| Seeds ; moisture content of, by near-infrared spectrophotometry of their methanol extracts (Hart, Norris, and Columbic) | 94 |

| | |
|--|-----|
| Shear and compression in dough (Glucklich and Shelef) | 242 |
| Shortening; effect of ratio variation on cake quality (Kissell and Marshall) | 16 |
| Softening agents in bakery products (Veitch and Jones) | 220 |
| Sorghum, see <i>Grain sorghum</i> | |
| Spectrophotometric method for determining moisture in seeds (Hart, Norris, and Columbic) | 94 |
| Staling of bread; flour quality as factor in firming (Ponte, Titzcomb, and Cotton) | 437 |
| Starch(es) | |
| Comparative digestibilities of (Sandstedt, Strahan, Ueda, and Abbot) | 123 |
| Damaged in flour, determination (Sullivan, Anderson, and Goldstein) | 155 |
| estimation of in soft wheat flours; rapid method (Dondenlon and Yamazaki) | 460 |
| Dialdehyde | |
| intrinsic viscosity (Schaefer, Maurice, Russell, and Rist) | 304 |
| reacted with chlorine in methanol (Schaefer, Russell, and Rist) | 1 |
| High-amylose; digestibility of (Borchers) | 145 |
| (Sandstedt, Strahan, Ueda, and Abbot) | 123 |
| Liquefaction of, as index of alpha-amylase (Pomeranz and Shellenberger) | 327 |
| (Wheat) Oxidation of, with chlorine (Uchino and Whistler) | 477 |
| Pregelatinized; use of in determination of alpha-amylase (Pomeranz and Shellenberger) | 327 |
| Solubilization in dimethyl sulf oxide (Leach and Schoch) | 318 |
| Structure of (Radomski and Smith) | 30 |
| Storage fungi | |
| <i>Aspergillus ochraceus</i> ; invasion of stored wheat by (Christensen) | 100 |
| <i>Aspergillus restrictus</i> , detection of in grain (Christensen and Qasem) | 68 |
| Storage studies | |
| With bread; changes in carbonyl compounds in (Linko, Johnson, and Miller) | 468 |
| With wheat invasion by fungi (Christensen) | 100 |
| quantitative changes of sugars in (Lynch, Glass, and Geddes) | 256 |
| Stored grain; detection of fungi in (Christensen and Qasem) | 68 |
| Structure | |
| Of antibiotics elaborated from yeast (Robinson, Miller, Johnson, Curnutte, and Lord) | 183 |
| Of hilar layer in corn ("black speck") (Bradbury, Wolf, and Dimler) | 72 |
| Of starch granule (Leach and Schoch) | 318 |
| Sugar(s) | |
| Effect of ratio variation on cake quality (Kissell and Marshall) | 16 |
| Of wheat; quantitative changes in during storage (Lynch, Glass, and Geddes) | 256 |
| Sulfation of flour; properties (Smith, Russell, and Rist) | 273 |
| Sulfhydryl groups of gluten; oxidation of, by bromate and iodate (Lee and Samuels) | 482 |
| Sulfhydryl reagents; effect on mixing tolerance of doughs (Meredith and Bushuk) | 411 |
| Sulfhydryl-blocking agents | |
| Effect on extensigraph properties (Bushuk and Hlynka) | 189 |
| Maleimide-type; comparative studies on effects (Lee and Reynolds) | 427 |
| Viscosity (intrinsic) | |
| Of dialdehyde starch (Schaefer, Maurice, Russell, and Rist) | 304 |
| Effect on, of amylograph starting temperature (Shuey) | 44 |
| Vitamin A, precursors of (Blessin) | 236 |
| Volumetric compression apparatus for shear and compression studies (Glucklich and Shelef) | 242 |
| Water; effect of ratio variation on cake quality (Kissell and Marshall) | 16 |
| Wet-milling of artificially dried corn (Watson and Hirata) | 35 |
| Wheat | |
| (Australian) Aleurone layer content and distribution of ash in kernel (Hinton) | 341 |
| (Australian) Amino acid composition; variations in (Simmonds) | 445 |
| Breakage of endosperm cell walls in milling (Schulze and MacMasters) | 204 |
| Damaged, fatty acid composition of (Baker) | 393 |

Density of, measured with density gradient column (Peters and Katz) 487

Flour absorption in (centrifuge method) (Sosulski) 344

Gluten, see **Gluten**

Sprouted, Raikai milling process applied to (Meredith) 168

Stored, see **Storage studies**; **Stored grain**

Sugars of; quantitative changes in during storage (Lynch, Glass, and Geddes) 256

Wheat products; lipids from, method for extraction (Tsen, Levi, and Hlynka) 195

Xanthophylls
Determination in hybrid yellow corn and grain sorghum, by chromatography (Blessin) 236

Loss of, in sorghum grain during weathering (Blessin, Diller, and Webster) 389

Yeast; structure of antibiotics from (Robinson, Miller, Johnson, Curnutt, and Lord) 183

Yeast gassing power; effect of maleimide-type -SH-blocking agents on (Lee and Reynolds) 427

CEREAL CHEMISTRY

Published by the American Association of Cereal Chemists

Editor-in-Chief K. A. GILLES
Managing Editor RAYMOND TARLETON
Assistant Editor EUNICE R. BROWN

Editorial Board:

| | |
|-------------------|---------------------|
| WELKER G. BECHTEL | WILLIAM R. JOHNSTON |
| KARL F. FINNEY | ROBERT A. LARSEN |
| DAVID F. HOUSTON | C. E. RIST |
| G. N. IRVINE | THOMAS J. SCHOCH |



VOLUME 39, Nos. 1-6
JANUARY-NOVEMBER, 1962



Minneapolis, Minnesota
1962

Jones Press Inc., Minneapolis, Minn.

CONTENTS

NUMBER 1, JANUARY, 1962

| | PAGE |
|---|-------------|
| Polymeric Products from the Reaction of Dialdehyde Starches with Chlorine in Methanol. Preparation and Properties. <i>W. C. Schaefer, C. R. Russell, and C. E. Rist</i> | 1 |
| Multi-Factor Responses of Cake Quality to Basic Ingredient Ratios. <i>Leo T. Kissell and Ben D. Marshall</i> | 16 |
| Isolation of Maltulose from Alpha-Amylase Hydrolysates of Waxy Corn Starch. <i>M. W. Radomski and M. Doreen Smith</i> | 30 |
| Some Wet-Milling Properties of Artificially Dried Corn. <i>S. A. Watson and Yoshiro Hirata</i> | 35 |
| The Effect of Starting Temperature on Amylograms. <i>William C. Shuey</i> | 44 |
| The Chemical and Essential Amino Acid Composition of Twenty-Five Selections of Grain Sorghum. <i>Ricardo Bressani and Berta J. Rios</i> | 50 |
| Nutritive Value of Central American Corns. VI. Varietal and Environmental Influence on the Nitrogen, Essential Amino Acid, and Fat Content of Ten Varieties. <i>R. Bressani, L. G. Elias, N. S. Scrimshaw, and M. A. Guzman</i> | 59 |
| Detection of <i>Aspergillus restrictus</i> in Stored Grain. <i>C. M. Christensen and S. A. Qasem</i> | 68 |
| The Hilar Layer of White Corn. <i>Dorothy Bradbury, M. J. Wolf, and R. J. Dimler</i> | 72 |
| Editorial Policy and Suggestions to Authors | 79 |

NUMBER 2, MARCH, 1962

| | |
|--|-----|
| Extractable Protein and Hydration Characteristics of Flours and Doughs in Dilute Acid. <i>D. K. Mecham, H. A. Sokol, and J. W. Pence</i> | 81 |
| Determination of the Moisture Content of Seeds by Near-Infrared Spectrophotometry of Their Methanol Extracts. <i>Joe R. Hart, Karl H. Norris, and Calvin Columbic</i> | 94 |
| Invasion of Stored Wheat by <i>Aspergillus ochraceus</i> . <i>Clyde M. Christensen</i> | 100 |
| Isolation and Characterization of a Cyclic Hydroxamate from <i>Zea mays</i> . <i>R. H. Hamilton, R. S. Bandurski, and W. H. Reusch</i> | 107 |
| The Effect of Processing Variations on the Alcohol, Carbonyl, and Organic Acid Contents of Pre-ferments for Bread Baking. <i>E. W. Cole, W. S. Hale, and J. W. Pence</i> | 114 |

| | |
|---|-----|
| The Digestibility of High-Amylose Corn Starches Compared to That of Other Starches. The Apparent Effect of the <i>ae</i> Gene on Susceptibility to Amylase Action. <i>Rudolph M. Sandstedt, Donna Strahan, S. Ueda, and R. C. Abbot</i> | 123 |
| Characterization Studies on the Soluble Proteins and Pentosans of Cake Flour. <i>John Holme</i> | 132 |
| A Note on the Digestibility of the Starch of High-Amylose Corn by Rats. <i>Raymond Borchers</i> | 145 |
| Electron Paramagnetic Resonance and Baking Studies on Gamma-Irradiated Flour. <i>C. C. Lee</i> | 147 |
| The Determination of Starch Damage of Flour. <i>Betty Sullivan, Merlin L. Anderson, and Alvin M. Goldstein</i> | 155 |
| Communication to the Editor: Application of the Rakai Milling Process to Sprouted Wheat. <i>Peter Meredith</i> | 168 |
| Editorial Policy and Suggestions to Authors | 170 |

NUMBER 3, MAY, 1962

| | |
|--|-----|
| Evaluation of Color Characteristics of Flours Obtained from Various Types and Varieties of Wheat. <i>Takashi Yasunaga and Mitsuo Uemura</i> | 171 |
| Studies of Two Polypeptide Antibiotics Elaborated by <i>Saccharomyces cerevisiae</i> . <i>Robert J. Robinson, Byron S. Miller, John A. Johnson, Basil Curnutt, and Thomas H. Lord</i> | 183 |
| The Effect of Iodate and N-Ethylmaleimide on Extensigraph Properties of Dough. <i>W. Bushuk and I. Hlynka</i> | 189 |
| A Rapid Method for the Extraction of Lipids from Wheat Products. <i>C. C. Tsen, I. Levi, and I. Hlynka</i> | 195 |
| Breakage of Endosperm Cell Walls in Flour Milling. <i>W. E. Schulze and Majel M. MacMasters</i> | 204 |
| The Role of Lipids in Oxidation of Doughs. <i>C. C. Tsen and I. Hlynka</i> | 209 |
| The Detection of Polyoxyethylene Glycol in Bakery Products. <i>Priscilla A. Veitch and J. B. Jones</i> | 220 |
| The Mechanism of Action of Malt Beta-Glucanases. II. Separation and Characterization of Malt Endo-Beta-Glucanases. <i>Wayne W. Luchsinger</i> | 225 |
| Carotenoids of Corn and Sorghum. I. Analytical Procedure. <i>C. W. Blessin</i> | 236 |
| An Investigation into the Rheological Properties of Flour Dough. Studies in Shear and Compression. <i>Joseph Glucklich and Leora Shelef</i> | 242 |
| Grain Storage Studies. XXXII. Quantitative Changes Occurring in the Sugars of Wheat Deteriorating in the Presence and Absence of Molds. <i>B. T. Lynch, R. L. Glass, and W. F. Geddes</i> .. | 256 |

Communication to the Editor. The Use of 2-Chloroethanol as a Dispersant for Gluten. *H. S. Olcott* 262

NUMBER 4, JULY, 1962

Quantitative Determination of Certain Carbonyl Compounds in Pre-ferments. *Yu-Yen Linko, Byron S. Miller, and John A. Johnson* 263

Preparation and Properties of Sulfated Wheat Flour. *H. E. Smith, C. R. Russell, and C. E. Rist* 273

Composition of the Component Parts of Two Hybrid High-Amylose Corns. *R. A. Anderson, D. E. Uhl, W. L. Deatherage, and E. L. Griffin, Jr.* 282

Influence of Temperature, Speed of Mixing, and Salt on Some Rheological Properties of Dough in the Farinograph. *I. Hlynka* 286

Intrinsic Viscosity of Dialdehyde Starch in Alkaline Urea after Reduction with Borohydride. *W. C. Schaefer, Judith J. Maurice, C. R. Russell, and C. E. Rist* 304

An Improved Method for the Preparation of Wheat Gliadin. *C. E. McDonald* 311

Structure of the Starch Granule. III. Solubilities of Granular Starches in Dimethyl Sulfoxide. *Harry W. Leach and Thomas J. Schoch* 318

Starch-Liquefying Activity of Alpha-Amylase. I. Use of Pregelatinized Wheat Starch as Substrate. *Y. Pomeranz and J. A. Shellenberger* 327

Electrophoretic Composition of Glutens from Air-Classified Flours. *R. W. Jones and R. J. Dimler* 336

Note on the Distribution of Ash in an Australian Wheat. *J. J. C. Hinton* 341

The Centrifuge Method for Determining Flour Absorption in Hard Red Spring Wheats. *F. W. Sosulski* 344

Erratum 350

NUMBER 5, SEPTEMBER, 1962

Rheological Studies of the Role of Lipids in Dough. *K. M. Narayanan and I. Hlynka* 351

Studies on the Cooking Quality of Rice. On the Plastogram of Rice. *Katsuharu Yasumatsu and Eiichiro Fujita* 364

Milling Losses Caused by Insect Infestation of Wheat. *E. A. R. Liscombe* 372

Corn Dry-Milling: Influence of Feed Rate and Tail-Gate Loading upon Beall Degerminator Performance. *O. L. Brekke, L. A. Weinecke, and E. L. Griffin, Jr.* 381

| | |
|---|-----|
| Carotenoids of Corn and Sorghum. II. Carotenoid Loss in Yellow-Endosperm Sorghum Grain during Weathering. <i>C. W. Blessin, R. J. Dimler, and O. J. Webster</i> | 389 |
| Fatty Acid Composition of Oil from Damaged Corn and Wheat. <i>Doris Baker</i> | 393 |
| Use of Lactase in Breadmaking. <i>Y. Pomeranz, B. S. Miller, D. Miller, and J. A. Johnson</i> | 398 |
| A Note on the Wet-Milling of High-Amylose Corn Containing 75-Percent-Amylose Starch. <i>R. A. Anderson</i> | 406 |
| Editorial Policy and Suggestions to Authors | 409 |

NUMBER 6, NOVEMBER, 1962

| | |
|---|-----|
| The Effects of Iodate, N-Ethylmaleimide, and Oxygen on the Mixing Tolerance of Doughs. <i>P. Meredith and W. Bushuk</i> | 411 |
| Some Studies with Maleimide-Type Sulfhydryl-Blocking Agents. <i>C. C. Lee and L. M. Reynolds</i> | 427 |
| Flour as a Factor in Bread Firming. <i>J. G. Ponte, Jr., S. T. Titcomb, and R. H. Cotton</i> | 437 |
| Variations in the Amino Acid Composition of Australian Wheats and Flours. <i>D. H. Simmonds</i> | 445 |
| Glutamic Acid Decarboxylase Activity as a Measure of Damage in Artificially Dried and Stored Corn. <i>Gloria M. Bautista and Pekka Linko</i> | 455 |
| Note on a Rapid Method for the Estimation of Damaged Starch in Soft Wheat Flours. <i>J. R. Donelson and W. T. Yamazaki</i> | 460 |
| Quick Method for Riboflavin in a High-Potency Cereal Product. <i>R. H. Anderson and D. F. Moran</i> | 463 |
| The Origin and Fate of Certain Carbonyl Compounds in White Bread. <i>Yu-Yen Linko, John A. Johnson, and Byron S. Miller</i> | 648 |
| Oxidation of Wheat Starch with Chlorine. <i>Norito Uchino and Roy L. Whistler</i> | 477 |
| Communication to the Editor: Studies with Radioactive Tracers. VI. The Oxidation of Sulfhydryl Groups of Gluten by Bromate and Iodate. <i>C. C. Lee and E. R. Samuels</i> | 482 |
| Communication to the Editor: The Rate of Diffusion between Gas Cells in Batters or Doughs. <i>A. H. Bloksma</i> | 485 |
| Using a Density Gradient Column to Determine Wheat Density. <i>Wendell R. Peters and Robert Katz</i> | 487 |
| Editorial Policy | 494 |
| Index to Volume XXXIX | 495 |

